



UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/750,088	12/31/2003	Michael Thomas Spoltore	H0006005-0555	1905

7590 12/09/2005

HONEYWELL INTERNATIONAL, INC.
LAW DEPARTMENT
101 COLUMBIA ROAD
MORRISTOWN, NJ 07692

EXAMINER

CHIN SHUE, ALVIN C

ART UNIT	PAPER NUMBER
----------	--------------

3634

DATE MAILED: 12/09/2005

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	10/750,088	SPOLTRE ET AL.	
	Examiner	Art Unit	
	Alvin C. Chin-Shue	3634	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☐ Responsive to communication(s) filed on ____.
- 2a) ☐ This action is **FINAL**. 2b) ☒ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-37 is/are pending in the application.
- 4a) Of the above claim(s) ____ is/are withdrawn from consideration.
- 5) ☐ Claim(s) ____ is/are allowed.
- 6) ☒ Claim(s) 1-37 is/are rejected.
- 7) ☐ Claim(s) ____ is/are objected to.
- 8) ☐ Claim(s) ____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on ____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☐ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☐ All b) ☐ Some * c) ☐ None of:
1. ☐ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. ____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|---|---|
| 1) <input checked="" type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. ____. |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449 or PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| Paper No(s)/Mail Date ____. | 6) <input type="checkbox"/> Other: ____. |

Claims 35 and 37 are objected to under 37 CFR 1.75 as being a substantial duplicate of claims 34 and 36, respectively. When two claims in an application are duplicates or else are so close in content that they both cover the same thing, despite a slight difference in wording, it is proper after allowing one claim to object to the other as being a substantial duplicate of the allowed claim. See MPEP § 706.03(k).

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:

A person shall be entitled to a patent unless –

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1,8 and 24 are rejected under 35 U.S.C. 102(b) as being clearly anticipated by Banner.

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 2-7,21 and 25-31 are rejected under 35 U.S.C. 103(a) as being unpatentable over Banner. It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide Banner with the claimed

conventional means for monitoring (as disclosed by applicant), in lieu of his, by the substituted use of one known equivalent element for another, for monitoring a part of the building.

Claims 11-18,22,23 and 34-37 are rejected under 35 U.S.C. 103(a) as being unpatentable over Banner in view of Krumal. Banner shows the claimed system with the exception of the ladder having rung projections. Krumal shows a ladder with rung having projections. It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide Banner with a ladder having rungs with projections, as taught by Krumal, for spacing the ladder from a building. It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide Banner with the claimed conventional means for monitoring, in lieu of his, by the substituted use of one known equivalent element for another, for monitoring a part of the building.

Claims 9,10,32 and 33 are rejected under 35 U.S.C. 103(a) as being unpatentable over UK. Pat. 848 to Melville in view of Banner. Melville shows the claimed system but silent on the means for motoring. Banner teaches a means for monitoring. It would have been obvious to one of ordinary skill in the art at the time the invention was made to provide Melville with a means for monitoring, as taught by Banner, to enable automatic release of his means for releasing.

Furthermore, to provide the claimed conventional means for monitoring, in lieu of the means as taught by Banner, by the substituted use of one known equivalent element for another, for monitoring a part of the building.

Claims 19 and 20 are rejected under 35 U.S.C. 103(a) as being unpatentable over Melville and Banner, as applied to claims 9 and 10 above, and further in view of Krumal as applied above.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Alvin C. Chin-Shue whose telephone number is 571-272-6828. The examiner can normally be reached on Monday-Friday, 8:00 a.m. - 4:30 p.m..

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Richard Chilcot can be reached on 571-272-6777. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).



Alvin C. Chin-Shue
Examiner
Art Unit 3634

ACS